Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S69	47	S68 and @ad<="20001030"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 14:12
S68	178	S67 and ((order near3 confirmation) (order near3 delivery) (invoice) ((product inventory) near3 update\$2) ((customer information) near3 update\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 14:11
S63	2149	((order near3 confirmation) and (order near3 delivery) and (invoice) ((product inventory) near3 update\$2)and ((customer information) near3 update\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 14:11
S67	357	S66 and ((document\$2 file\$2 data) near4 type\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 14:10
S66	457	S65 and type\$2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 14:10
S65	467	web-based and ((document\$2 file data) same timestamp\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 14:10
S64	37	S63 and ((document near4 type\$2) and timestamp\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 14:09
S51	2149	((order near3 confirmation) and (order near3 delivery) and (invoice) ((product inventory) near3 update\$2)and ((customer information) near3 update\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 10:30
S62	7	S61 and (timestamp\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	ON	2005/04/13 10:26
S61	31	((order near3 confirmation) and (order near3 delivery) and (invoice) and ((product inventory) near3 update\$2)and ((customer information) near3 update\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 10:26
S60	0	((order near3 confirmation) same (order near3 delivery) same (invoice) same ((product inventory) near3 update\$2) same ((customer information) near3 update\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/13 10:10

S59	0	S58 and plastic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:24
S58	3	("5058757" "5396915" "5896880"). pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:24
S57	31	("5058757" "5396915" "5896880")". pn"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:23
S56	17	S55 and plastic	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:23
S55	41	("5058757" "5396915" "5896880" "973731")".pn"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:23
S54	39	S53 and web\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:21
S53	117	S50 and @ad<="20001030"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:17
S50	355	(document near5 type\$2) same ((order near3 confirmation) (order near3 delivery) (invoice) ((product inventory) near3 update\$2) ((customer information) near3 update\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:16
S52	4	(document near3 type\$2) same ((order near3 confirmation) and (order near3 delivery) and (invoice) ((product inventory) near3 update\$2)and ((customer information) near3 update\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:14
S49	7	umbrella near5 plastic near5 solid	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:01
S48	1	S43 and (database\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 17:00

	<del></del>			<u></u>		
		S43 and (internet\$2 web\$5 (web near3 (page\$2 site\$2 application\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 16:45
S47	1	S46 and (internet\$2 web\$5 (web near3 (page\$2 site\$2 application\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 14:06
. S46	1	"6714979".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 14:06
S45	<u> </u>	S44 and web\$5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	. ON	-2005/04/12 14:06
S44	1	S43 and (internet\$2 web\$5 (web near3 (page\$2 site\$2 application\$2)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 14:06
S43	1	"6671701".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/04/12 13:34
S42	2	("6671701" "6714979").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 14:47
		("6671701" "6714979").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 14:47
S14	2	S3 and (error\$2 warn\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:44
S4	1	S2 and (port)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:43
S13	2	S12 and (multi-port\$2 port\$2 (multiple near3 port\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:33
S12	8	("5428645" "5689688" "5550873" "5784421" "6055639" "5991771" "6078930" "6647400").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:32

S11	38	S10 and (compar\$4 and timestamp\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:30
S10	474	(updat\$4 near4 (file document)) and (multi-port\$2 (multiple near3 port\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:28
S9	52	S5 and (multi-port\$2 ports (multiple near3 port\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:27
	146	(((updat\$4 near4 (file document))) and (compar\$4 same (( (document file) near3 type) and (id identification name))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	- OR	· ON ·	-2004/05/27 08:27
S6	57	S5 and (multi-port\$2 port\$2 (multiple near3 port\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:27
S5	145	(((updat\$4 near4 (file document))) and (compar\$4 same (( (document file) near3 type) and (id identification name)))) and (time timestamp)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:27
S7	2	S5 and (multi-port\$2 (multiple near3 port\$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:25
S36	144	(((updat\$4 near4 (file document))) and (compar\$4 same (( (document file) near3 type) and (id identification name)))) and (time timestamp)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:22
<b>S3</b>	2	S1 S2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:18
S40	1	"6714979".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:17
S37	1	"6671701".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:17
S2	1	"6714979".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:17

	т		<del> </del>	<del>,</del>		
S1	1	"6671701".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/27 08:17
S41	1	"6714979".pn. and (thread\$4 multi-thread\$4 (multi near3 thread\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 20:15
S39	0	("6671701".pn. and queue\$4) and (thread\$4 multi-thread\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 20:15
S38 -	1	"6671701".pn. and queue\$4	US-PGPUB;_ USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 20:14-
S35	144	((updat\$4 near4 (file document))) and (compar\$4 same (( (document file) near3 type) and (id identification name)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 19:02
S34	18462	(updat\$4 near4 (file document))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 18:58
S33	228	((((((((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification))))) and updat\$4) and compar\$6) and database\$2) and (multi-thread\$3 thread\$2)) not (((((((((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification))))) and updat\$4) and compar\$6) and database\$2) and (multi-thread\$3 thread\$2)) and queue\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 18:56
<b>S32</b>	1724	(timestamp\$2 and ((primary near2 (key code)) (file near2 (name type))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 18:45
S31	4	(inbound same (timestamp\$2 and ((primary near2 (key code)) (file near2 (name type)))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 18:44

C20	365	//////	116 565:15	T 00		2004/05/25 12 ==
S30	262	(((((((((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification))))) and updat\$4) and compar\$6) and database\$2) and (multi-thread\$3 thread\$2)) and queue\$4) and synchroniz\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 18:38
S29	217	(((((((((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification))))) and updat\$4) and compar\$6) and database\$2) and (multi-thread\$3 thread\$2)) and queue\$4) and synchroniza\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:58
S23	407	((((((((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification))))) and updat\$4) and compar\$6) and database\$2) and (multi-thread\$3 thread\$2)) and queue\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:57
S28	5435	709/223,229,246.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:50
S27	946	715/511,530.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:50
S26	2761	705/1.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:50
S25	6447	707/9,10,203,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:49
S24	0	.707/9,10,203,200.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:49

S22	635	(((((((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification))))) and updat\$4) and compar\$6) and database\$2) and (multi-thread\$3 thread\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:45
S21	3102	((((((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification))))) and updat\$4) and compar\$6) and database\$2	US-PGPUB; USPAT; EPO; JPO; _IBM_TDB	OR	ON	2004/05/26 15:44
S20	4535	((((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification))))) and updat\$4) and compar\$6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:42
S19	5986	(((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification))))) and updat\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:40
S18	9497	((message\$2 file\$2 document\$2) same (time timestamp\$2 date) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:40
S17	27959	((message\$2 file\$2 document\$2) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification ((file document message) near3 (name id identification))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:39
S16	22694	((message\$2 file\$2 document\$2) same (type (document near3 type) (primary near3 (key code))) same (id\$2 identification))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/05/26 15:37

S15	252197	((message\$2 file\$2 document\$2)	US-PGPUB;	OR	ON	2004/05/26 15:36
		same (type (document near3 type)	USPAT;			
		(primary near3 (key code)) (id\$2	EPO; JPO;			
		identification)))	IBM_TDB			